

REFERENCES

1. Docking SI, Ooi CC, Connell D. Tendinopathy: Is Imaging Telling Us the Entire Story? *J Orthop Sport Phys Ther.* 2015;45(11):842-852. doi:10.2519/jospt.2015.5880.
2. Rio E, Moseley L, Purdam C, et al. The pain of tendinopathy: Physiological or pathophysiological? *Sport Med.* 2014;44(1):9-23. doi:10.1007/s40279-013-0096-z.
3. Maffulli N, Wong J, Almekinders LC. Types and epidemiology of tendinopathy. *Clin Sports Med.* 2003;22(4):675-692. doi:10.1016/S0278-5919(03)00004-8.
4. Cook JL, Purdam CR. The challenge of managing tendinopathy in competing athletes. *Br J Sports Med.* 2014;48(7):506-509. doi:10.1136/bjsports-2012-092078.
5. Cook JL, Rio E, Purdam CR, Docking SI. Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research? *Br J Sport Med.* 2016;50:1187-1191. doi:10.1136/bjsports-2015-095422.
6. Fredberg U, Stengaard-Pedersen K. Chronic tendinopathy tissue pathology, pain mechanisms, and etiology with a special focus on inflammation: Review. *Scand J Med Sci Sport.* 2008;18(1):3-15. doi:10.1111/j.1600-0838.2007.00746.x.
7. Rees JD, Stride M, Scott A. Tendons--time to revisit inflammation. *Br J Sports Med.* 2014;48(21):1553-1557. doi:10.1136/bjsports-2012-091957.
8. Scott A, Backman LJ, Speed C. Tendinopathy: Update on Pathophysiology. *J Orthop Sport Phys Ther.* 2015;45(11):833-841. doi:10.2519/jospt.2015.5884.
9. Scott A, Docking S, Vicenzino B, et al. Sports and exercise-related tendinopathies: a review of selected topical issues by participants of the second International Scientific Tendinopathy Symposium (ISTS) Vancouver 2012. *Br J Sports Med.* 2013;47(9):536-544. doi:10.1136/bjsports-2013-092329.

10. Cook JL, Purdam CR. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *Br J Sports Med.* 2009;43:409-416. doi:10.1136/bjism.2008.051193.
11. Fu S-C, Rolf C, Cheuk Y-C, Lui PP, Chan K-M. Deciphering the pathogenesis of tendinopathy: a three-stages process. *Sport Med Arthrosc Rehabil Ther Technol.* 2010;2(1):30. doi:10.1186/1758-2555-2-30.
12. Abate M, Silbernagel KG, Siljeholm C, et al. Pathogenesis of tendinopathies: inflammation or degeneration? *Arthritis Res Ther.* 2009;11(3):235. doi:10.1186/ar2723.
13. Wasielewski NJ, Kotsko KM. Does eccentric exercise reduce pain and improve strength in physically active adults with symptomatic lower extremity tendinosis? A systematic review. *J Athl Train.* 2007;42(3):409-421.
14. Mafi N, Lorentzon R, Alfredson H. Superior short-term results with eccentric calf muscle training compared to concentric training in a randomized prospective multicenter study on patients with chronic Achilles tendinosis. *Knee Surgery, Sport Traumatol Arthrosc.* 2001;9(1):42-47. doi:10.1007/s001670000148.
15. Alfredson H, Pietila T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sport Med.* 1998;26(3):360-366. <http://www.ncbi.nlm.nih.gov/pubmed/9617396> <http://ajs.sagepub.com/content/26/3/360.full.pdf>.
16. Roos, Ewa M., Engstrom, Mikael. Lagerquist, Annika. Soderberg B. Clinical improvement after 6 weeks of eccentric exercise in patients with mid-portion Achilles tendinopathy -- a randomized trial with 1-year follow-up. *Scand J Med Sci Sport.* 2004;14(5):286-295.

17. Jonsson P, Alfredson H. Superior results with eccentric compared to concentric quadriceps training in patients with jumper's knee: a prospective randomised study. *Br J Sports Med.* 2005;39(11):847-850. doi:10.1136/bjism.2005.018630.
18. Beyer R, Kongsgaard M, Hougs Kjær B, Øhlenschläger T, Kjær M, Magnusson SP. Heavy Slow Resistance Versus Eccentric Training as Treatment for Achilles Tendinopathy: A Randomized Controlled Trial. *Am J Sports Med.* 2015;43(7):1704-1711. doi:10.1177/0363546515584760.
19. Brughelli M, Nosaka K, Cronin J. Application of eccentric exercise on an Australian Rules football player with recurrent hamstring injuries. *Phys Ther Sport.* 2009;10(2):75-80. doi:10.1016/j.ptsp.2008.12.001.
20. Meyer A, Tumilty S, Baxter GD. Eccentric exercise protocols for chronic non-insertional Achilles tendinopathy: How much is enough? *Scand J Med Sci Sport.* 2009;19(5):609-615. doi:10.1111/j.1600-0838.2009.00981.x.
21. Visnes H, Hoksrud A, Cook J, Bahr R. No effect of eccentric training on jumper's knee in volleyball players during the competitive season: a randomized clinical trial. *Clin J Sport Med.* 2005;15(4):227-234. doi:10.1097/01.jism.0000168073.82121.20.
22. hberg. Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up. *Br J Sport Med.* 2004;38:8-11. doi:10.1136/bjism.2001.000284.
23. Morrissey D, Roskilly A, Twycross-Lewis R, et al. The effect of eccentric and concentric calf muscle training on Achilles tendon stiffness. *Clin Rehabil.* 2011;25(3):238-247. doi:10.1177/0269215510382600.
24. Nørregaard J, Larsen CC, Bieler T, Langberg H. Eccentric exercise in treatment of

- Achilles tendinopathy. *Scand J Med Sci Sports*. 2007;17(2):133-138. doi:10.1111/j.1600-0838.2006.00545.x.
25. Young MA, Cook JL, Purdam CR, Kiss ZS, Alfredson H. Eccentric decline squat protocol offers superior results at 12 months compared with traditional eccentric protocol for patellar tendinopathy in volleyball players. *Br J Sport Med*. 2005;39(2):102-105. doi:10.1136/bjism.2003.010587.
 26. Bahr R, Fossan B, Loken S, Engebretsen L. Surgical Treatment Compared with Eccentric Training for Patellar Tendinopathy (Jumper ' s Knee). *J bone Jt Surg*. 2006;88-A(8):1689-1698. doi:10.2106/JBJS.E.01181.
 27. Woodley BL, Newsham-West RJ, Baxter GD. Chronic tendinopathy: effectiveness of eccentric exercise. *Br J Sports Med*. 2007;41(4):188-98; discussion 199. doi:10.1136/bjism.2006.029769.
 28. Kongsgaard M, Kovanen V, Aagaard P, et al. Corticosteroid injections, eccentric decline squat training and heavy slow resistance training in patellar tendinopathy. *Scand J Med Sci Sport*. 2009;19(6):790-802. doi:10.1111/j.1600-0838.2009.00949.x.
 29. Kedia M, Williams M, Jain L, et al. The effects of conventional physical therapy and eccentric strengthening for insertional achilles tendinopathy. *Int J Sports Phys Ther*. 2014;9(4):488-497.
<http://www.ncbi.nlm.nih.gov/pubmed/25133077><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4127511>.
 30. Rompe JD, Nafe B, Furia JP, Maffulli N. Eccentric Loading, Shock-Wave Treatment, or a Wait-and-See Policy for Tendinopathy of the Main Body of Tendo Achillis: A Randomized Controlled Trial. *Am J Sports Med*. 2006;35(3):374-383.

doi:10.1177/0363546506295940.

31. van der Plas a., de Jonge S, de Vos RJ, et al. A 5-year follow-up study of Alfredson's heel-drop exercise programme in chronic midportion Achilles tendinopathy. *Br J Sports Med.* 2012;46(3):214-218. doi:10.1136/bjsports-2011-090035.
32. Malliaras P, Barton CJ, Reeves ND, Langberg H. Achilles and patellar tendinopathy loading programmes: A systematic review comparing clinical outcomes and identifying potential mechanisms for effectiveness. *Sport Med.* 2013;43(4):267-286. doi:10.1007/s40279-013-0019-z.
33. Couppé C, Svensson RB, Silbernagel KG, Langberg H, Magnusson SP. Eccentric or Concentric Exercises for the Treatment of Tendinopathies? *J Orthop Sport Phys Ther.* 2015;45(11):1-25. doi:10.2519/jospt.2015.5910.
34. Roos EM, Engström M, Lagerquist A, Söderberg B. Clinical improvement after 6 weeks of eccentric exercise in patients with mid-portion Achilles tendinopathy - A randomized trial with 1-year follow-up. *Scand J Med Sci Sport.* 2004;14(5):286-295. doi:10.1111/j.1600-0838.2004.00378.x.
35. Larsson MEH, Käll I, Nilsson-Helander K. Treatment of patellar tendinopathy-a systematic review of randomized controlled trials. *Knee Surgery, Sport Traumatol Arthrosc.* 2012;20(8):1632-1646. doi:10.1007/s00167-011-1825-1.
36. Magnussen RA, Dunn WR, Thomson AB. Nonoperative treatment of midportion Achilles tendinopathy: a systematic review. *Clin J Sport Med.* 2009;19(1):54-64. doi:10.1097/JSM.0b013e31818ef090.
37. Blankenbaker DG, De Smet AA, Keene JS. Sonography of the iliopsoas tendon and injection of the iliopsoas Bursa for diagnosis and management of the painful snapping hip.

- Skeletal Radiol.* 2006;35(8):565-571. doi:10.1007/s00256-006-0084-6.
38. Wank R, Miller TT, Shapiro JF. Sonographically guided injection of anesthetic for iliopsoas tendinopathy after total hip arthroplasty. *J Clin Ultrasound.* 2004;32(7):354-357. doi:10.1002/jcu.20043.
 39. Gédouin JE, Hutten D. Technique and results of endoscopic tenotomy in iliopsoas muscle tendinopathy secondary to total hip replacement: A series of 10 cases. *Orthop Traumatol Surg Res.* 2012;98(4 SUPPL.):S19-S25. doi:10.1016/j.otsr.2012.04.009.
 40. Hölmich P. Long-standing groin pain in sportspeople falls into three primary patterns, a “clinical entity” approach: a prospective study of 207 patients. *Br J Sports Med.* 2007;41(4):247-52; discussion 252. doi:10.1136/bjism.2006.033373.
 41. Tom N, Novacheck T. Review paper: The biomechanics of running. *Gait Posture.* 1998;7:77-95. doi:10.1016/S0966-6362(97)00038-6.
 42. Finch, E. Brooks, D. Stratford, P. Mayo N. *Physical Rehabilitation Outcome Measures-A Guide to Enhanced Clinical Decision Making.* 2nd ed. Hamilton, Ontario: Lippincott, Williams and Wilkins; 2002.
 43. Bijur, P. Silver WGJ. Reliability of the Visual Analogue Scale for Measurement of Acute Pain. *Acad Emerg Med.* 2001;8(12):1153-1157.
 44. Price, D. McGrath P. Rafii, A. Buckingham B. The validation of visual analogue scales as ratio scale measures for chronic and experimental pain. *Pain.* 1983;17(1):45-56.
 45. Jaeschke R, Singer J, Guyatt GH. Measurement of health status. Ascertaining the minimal clinically important difference. *Cont Clin Trials.* 1989;10(X):407-415.
 46. Thorborg K, Hölmich P, Christensen R, Petersen J, Roos EM. The Copenhagen Hip and Groin Outcome Score (HAGOS): development and validation according to the COSMIN

- checklist. *Br J Sports Med.* 2011;45(6):478-491. doi:10.1136/bjsm.2010.080937.
47. Kendall, F. McCreary, E. Provance P. *Muscles-Testing and Function.* Fourth. (Butler, J. Napora, L. Casey S, ed.). Philadelphia: Lippincott Williams and Wilkins; 1993.
 48. Aitkens S, Lord J, Bemauer E. Fowler WM Jr, Liberman JS BP. Relationship of manual muscle testing to objective strength measurements. *Muscle Nerve.* 1989;12(3):173-177.
 49. RW B. Manual Muscle Testing: does it meet the standards of an adequate screening test? *Clin Rehabil.* 2005;19(6):662-667.
 50. Cushman D, Rho ME. Conservative Treatment of Subacute Proximal Hamstring Tendinopathy Using Eccentric Exercises Performed With a Treadmill: A Case Report. *J Orthop Sports Phys Ther.* 2015;45(7):557-562. doi:10.2519/jospt.2015.5762.
 51. Scattone Silva R, Ferreira AL, Nakagawa T, Santos J SF. Rehabilitation of patella tendinopathy using hip extensor strengthening and landing-strategy modification: case report with 6-month follow-up. *J Orthop Sport Phys Ther.* 2015;45(11):899-909.
 52. Malliaras P, Cook J, Purdam C, Rio E. Patellar Tendinopathy: Clinical Diagnosis, Load Management, and Advice for Challenging Case Presentations. *J Orthop Sport Phys Ther.* 2015;45(11):1-33. doi:10.2519/jospt.2015.5987.
 53. Silbernagel KG, Thomeé R, Eriksson BI, Karlsson J. Continued sports activity, using a pain-monitoring model, during rehabilitation in patients with Achilles tendinopathy: a randomized controlled study. *Am J Sports Med.* 2007;35(6):897-906. doi:10.1177/0363546506298279.
 54. Grävare Silbernagel K, Crossley KM. A Proposed Return-to-Sport Program for Patients With Midportion Achilles Tendinopathy: Rationale and Implementation. *J Orthop Sport Phys Ther.* 2015;45(11):876-886. doi:10.2519/jospt.2015.5885.

55. Gibbons SGT, Comerford MJ, Emerson PL. Assessment and Rehabilitation of the stability function of psoas major. *Man Ther.* 2007;11:177-187.
56. Drew BT, Smith TO, Littlewood C, Sturrock B. Do structural changes (eg, collagen/matrix) explain the response to therapeutic exercises in tendinopathy: a systematic review. *Br J Sports Med.* 2012:1-8. doi:10.1136/bjsports-2012-091285.
57. Rees JD, Wolman RL, Wilson a. Eccentric exercises; why do they work, what are the problems and how can we improve them? *Br J Sports Med.* 2009;43(4):242-246. doi:10.1136/bjism.2008.052910.
58. Pufe T, Petersen WJ, Mentlein R, Tillmann BN. The role of vasculature and angiogenesis for the pathogenesis of degenerative tendons disease. *Scand J Med Sci Sport.* 2005;15(4):211-222. doi:10.1111/j.1600-0838.2005.00465.x.
59. Murtaugh B, Ihm JM. Eccentric training for the treatment of tendinopathies. *Curr Sports Med Rep.* 1987;12(3):175-182. doi:10.1249/JSR.0b013e3182933761.
60. Rio E, Kidgell D, Moseley GL, et al. Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *Br J Sport Med.* 2016;50:209-215. doi:10.1136/bjsports-2015-095215.
61. Plinsinga ML, Brink MS, Vicenzino B, van Wilgen P. Evidence of nervous system sensitization in commonly presenting and persistent painful tendinopathies : a systematic review. *J Orthop Sports Phys Ther.* 2015;in press(11):864-876. doi:10.2519/jospt.2015.5895.